

## ONIX for Books codelists Issue 44

This is the consolidated list of additions and updates for Issue 44 of the ONIX for Books codelists, as circulated and agreed by the various ONIX national groups. <sup>1</sup>

As with other recent issues, issue 44 contains only those lists required for ONIX 3.0. ONIX 2.1 remains fully usable – using Issue 36 of the codelists or earlier – but it is not intended to be usable with later codelists.

The ONIX codes are available via a multilingual interactive browser at <https://ns.editeur.org/onix> and in various formats (XML, CSV, HTML etc) from the EDITEUR website <https://www.editeur.org/>.

### Codelists Issue 44 Additions and Updates

Within the tables, additions are in red, changes and clarifications in blue and unchanged text is in black.

#### List 12 – Trade category

Code	Label	Note
17	Podcast	Category of audio products typically distinguished by being episodic and free of charge (but which may be monetised through advertising content)
18	Periodical	Category of books or e-books which are single issues of a periodical publication, sold as independent products

#### List 27 – Subject scheme identifier

Code	Label	Note
A6	Nomenclature discipline scolaire	French educational subject classification scolumfr-voc-015. See <a href="https://www.reseau-canope.fr/scolumfr/accueil.html">https://www.reseau-canope.fr/scolumfr/accueil.html</a>
B3	Nomenclature Diplôme	French higher and vocational educational subject classification scolumfr-voc-29 subject category for degree and diploma study. See <a href="https://www.reseau-canope.fr/scolumfr/accueil.html">https://www.reseau-canope.fr/scolumfr/accueil.html</a>

#### List 30 – Audience range qualifier

Code	Label	Note
30	Nomenclature niveaux	French educational level classification scolumfr-voc-022. See <a href="https://www.reseau-canope.fr/scolumfr/accueil.html">https://www.reseau-canope.fr/scolumfr/accueil.html</a>

These changes on lists 27 and 30 merely update the URL.

<sup>1</sup> For reference, the following lists included in issues up to Issue 36 are not included in Issue 44:

6, 7, 8, 10, 11, 26, 33, 35–40, 47, 52, 54, 56, 63, 67, 75, 78, 94, 95, 101, 138, 140

A handful of codes in lists 1, 22, 34, 49 and 51 used only with 2.1 will also be omitted:

List 1 codes 12, 13, 14; List 22 codes 04, 05; List 34 codes 00, 01, 04, 08–15; List 49 code ROW; List 51 codes 14, 15, 36

**List 49 – Region code**

Code	Label	Note
<b>CN-AH</b>	Anhui Province	
<b>CN-BJ</b>	Beijing Municipality	
<b>CN-CQ</b>	Chongqing Municipality	
<b>CN-FJ</b>	Fujian Province	
<b>CN-GD</b>	Guangdong Province	
<b>CN-GS</b>	Gansu Province	
<b>CN-GX</b>	Guangxi Zhuang Autonomous Region	
<b>CN-GZ</b>	Guizhou Province	
<b>CN-HA</b>	Henan Province	
<b>CN-HB</b>	Hubei Province	
<b>CN-HE</b>	Hebei Province	
<b>CN-HI</b>	Hainan Province	
<b>CN-HL</b>	Heilongjiang Province	
<b>CN-HN</b>	Hunan Province	
<b>CN-JL</b>	Jilin Province	
<b>CN-JS</b>	Jiangsu Province	
<b>CN-JX</b>	Jiangxi Province	
<b>CN-LN</b>	Liaoning Province	
<b>CN-NM</b>	Inner Mongolia Autonomous Region	
<b>CN-NX</b>	Ningxia Hui Autonomous Region	
<b>CN-QH</b>	Qinghai Province	
<b>CN-SC</b>	Sichuan Province	
<b>CN-SD</b>	Shandong Province	
<b>CN-SH</b>	Shanghai Municipality	
<b>CN-SN</b>	Shaanxi Province	
<b>CN-SX</b>	Shanxi Province	
<b>CN-TJ</b>	Tianjin Municipality	
<b>CN-XJ</b>	Xinjiang Uyghur Autonomous Region	
<b>CN-XZ</b>	Tibet Autonomous Region	
<b>CN-YN</b>	Yunnan Province	
<b>CN-ZJ</b>	Zhejiang Province	
<b>CN-TW</b>	Taiwan Province	Prefer code TW (Taiwan, Province of China) from List 91
<b>CN-HK</b>	Hong Kong Special Administrative Region	Prefer code HK (Hong Kong) from List 91
<b>CN-MO</b>	Macau Special Administrative Region	Prefer code MO (Macao) from List 91
<b>CN-11</b>	Beijing Municipality	Deprecated in favor of CN-BJ

<b>CN-12</b>	Tianjin Municipality	Deprecated in favor of CN-TJ
<b>CN-13</b>	Hebei Province	Deprecated in favor of CN-HE
<b>CN-14</b>	Shanxi Province	Deprecated in favor of CN-SX
<b>CN-15</b>	Inner Mongolia Autonomous Region	Deprecated in favor of CN-NM
<b>CN-21</b>	Liaoning Province	Deprecated in favor of CN-LN
<b>CN-22</b>	Jilin Province	Deprecated in favor of CN-JL
<b>CN-23</b>	Heilongjiang Province	Deprecated in favor of CN-HL
<b>CN-31</b>	Shanghai Municipality	Deprecated in favor of CN-SH
<b>CN-32</b>	Jiangsu Province	Deprecated in favor of CN-JS
<b>CN-33</b>	Zhejiang Province	Deprecated in favor of CN-ZJ
<b>CN-34</b>	Anhui Province	Deprecated in favor of CN-AH
<b>CN-35</b>	Fujian Province	Deprecated in favor of CN-FJ
<b>CN-36</b>	Jiangxi Province	Deprecated in favor of CN-JX
<b>CN-37</b>	Shandong Province	Deprecated in favor of CN-SD
<b>CN-41</b>	Henan Province	Deprecated in favor of CN-HA
<b>CN-42</b>	Hubei Province	Deprecated in favor of CN-HB
<b>CN-43</b>	Hunan Province	Deprecated in favor of CN-HN
<b>CN-44</b>	Guangdong Province	Deprecated in favor of CN-GD
<b>CN-45</b>	Guangxi Zhuang Autonomous Region	Deprecated in favor of CN-GX
<b>CN-46</b>	Hainan Province	Deprecated in favor of CN-HI
<b>CN-50</b>	Chongqing Municipality	Deprecated in favor of CN-CQ
<b>CN-51</b>	Sichuan Province	Deprecated in favor of CN-SC
<b>CN-52</b>	Guizhou Province	Deprecated in favor of CN-GZ
<b>CN-53</b>	Yunnan Province	Deprecated in favor of CN-YN
<b>CN-54</b>	Tibet Autonomous Region	Deprecated in favor of CN-XZ
<b>CN-61</b>	Shaanxi Province	Deprecated in favor of CN-SN
<b>CN-62</b>	Gansu Province	Deprecated in favor of CN-GS
<b>CN-63</b>	Qinghai Province	Deprecated in favor of CN-QH
<b>CN-64</b>	Ningxia Hui Autonomous Region	Deprecated in favor of CN-NX
<b>CN-65</b>	Xinjiang Uyghur Autonomous Region	Deprecated in favor of CN-XJ
<b>CN-71</b>	Taiwan Province	Deprecated in favor of CN-TW, but prefer code TW (Taiwan, Province of China) from List 91
<b>CN-91</b>	Hong Kong Special Administrative Region	Deprecated in favor of CN-HK, but prefer code HK (Hong Kong) from List 91
<b>CN-92</b>	Macau Special Administrative Region	Deprecated in favor of CN-MO, but prefer code MO (Macao) from List 91

This is prompted by a change in the underlying ISO 6133-2:CN list. It replaces the numeric codes for Chinese provinces, municipalities and special regions with alphabetic codes. However, the previous codes are maintained in order to ensure full compatibility.

## List 74 – Language

Code	Label	Note
<b>ckb</b>	Central Kurdish (Sorani)	ONIX local code, equivalent to ckb in ISO 639-3
<b>cnr</b>	Montenegrin	
<b>mwf</b>	Murrinh-Patha	ONIX local code, equivalent to mwf in ISO 639-3
<b>sco</b>	Scots ( <del>lallans</del> )	

The additions to List 74 include a new code added to ISO 639-2, and two languages which do not have a code in ISO 639-2/B on which the ONIX list is based. Note the term ‘Lallans’ is *removed* from sco (Scots) as that term only covers part of the dialect variation of the Scots language. It was added several years ago to help distinguish Scots from Scottish Gaelic, but has proved misleading in use.

## List 79 – Product form feature type

Code	Label	Note
<b>18</b>	E-publication authentication and access control	Requirement for user authentication prior to use, with detail of authentication method (user enrolment and login passwords, location- or device-based recognition, authentication via third-party identity service etc) given in <ProductFormFeatureDescription>

This could be applied to online products such as educational material which require users to login each time the product is used, or where site licensing based on IP address is used.

## List 96 – Currency code

Code	Label	Note
<b>CZK</b>	Czech Koruna	Czechia

## List 98 – Binding or page edge color

Code	Label	Note
<b>CEL</b>	Pale green/Celadon	

In addition, the note from code MUL is added to codes FCO, FCS and ZZZ.

## List 102 – Sales outlet identifier type

Code	Label	Note
<b>04</b>	Retail sales outlet GLN	13-digit GS1 global location number (formerly EAN location number)
<b>05</b>	Retail sales outlet SAN	7-digit Book trade Standard Address Number (US, UK etc)

These codes enable an alternative method of identifying retail sales outlets.

### List 145 – Usage type

Code	Label	Note
<b>10</b>	Preview on premises	Preview locally before purchase. Allows a retail customer, account holder or patron to view a proportion of the book (or the whole book, if no proportion is specified) before purchase, but ONLY while located physically in the retailer's store (eg while logged on to the store wifi). Also applies to borrowers making use of 'acquisition on demand' models in libraries

### List 147 – Unit of usage

Code	Label	Note
<b>17</b>	Allowed usage start time	Time at which allowed usage begins. <Quantity> should contain an absolute time, counting from the beginning of an audio or video product, in the format HHHMMSS or HHHMMSScc. Use with Time, Percentage of content, or End time to specify time-based extract allowed in Preview
<b>18</b>	Allowed usage end time	Time at which allowed usage ends. <Quantity> should contain an absolute time, counting from the beginning of an audio or video product, in the format HHHMMSS or HHHMMSScc. Use with Start time to specify time-based extract allowed in Preview

Additions allow specification of start time and end time of preview extracts with greater precision (centiseconds) where necessary, and aligns the available time formats with those used in <AVItem>.

### List 149 – Title element level

Code	Label	Note
<b>04</b>	Content item	The title element refers to a content item within a product, eg a work included in a combined or 'omnibus' edition, or a chapter in a book. Generally used only for titles within <ContentItem> (Block 3)

### List 153 – Text type

Code	Label	Note
<b>29</b>	Bibliography	Complete list of books by the author(s), supplied as a single text field, which may be structured using (X)HTML

### List 158 – Resource content type

Code	Label	Note
<b>43</b>	Bibliography	Complete list of books by the author(s), supplied as a separate resource file

These additions allow provision of a separate bibliography (list of other books by the author(s)) as collateral material – although <RelatedProduct> can provide a more structured set of links to the author's other publications.

### List 178 – Supporting resource file format

Code	Label	Note
<b>D401</b>	PDF	Portable Document File format ( <a href="#">single page image</a> )
<b>D505</b>	BMP	Windows Bitmap format
<b>D506</b>	JP2	JPEG 2000, improved Joint Photographic Experts Group format
<b>D507</b>	PSD	Adobe Photoshop native file format (.psd or .psb)
<b>D508</b>	EPS	Image as PostScript or Encapsulated PostScript file (.ps or .eps)

The addition to D401 serves to distinguish it from E107.

### List 230 – Price constraint type

Code	Label	Note
<b>00</b>	No constraints	Allows positive indication that there are no <a href="#">additional constraints (other than those specified in &lt;EpubUsageConstraint&gt;)</a> – the default if <PriceConstraint> is omitted
<b>10</b>	Preview on premises	Preview locally before purchase. Allows a retail customer, account holder or patron to view a proportion of the book (or the whole book, if no proportion is specified) before purchase, but ONLY while located physically in the retailer's store (eg while logged on to the store wifi). Also applies to borrowers making use of 'acquisition on demand' models in libraries

The note for code 00 is reworded to ensure it is clear that product-level <EpubUsageConstraints> still apply. The addition of code 10 matches the addition to List 145.

Graham Bell / Chris Saynor  
 EDItEUR  
 20 January 2019